




# TAPGEST

DIGITAL SIGNAGE IN YOUR HAND

# HARDWARE CATALOGUE




Platform for marketing  
communication and  
entertainment, enabling  
real time control via touch  
or gesture.



# Hardware specification of screens

Screen type	Diagonal	Weight	Resolution	Max consumption energy	Bright	Contrast	View angle	Response	Display life in hours	Temperature conditions for operation	Color
Indoor one sided selfstanding device	55"	48 kg	FHD	135W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	Black / White (Customisable)
	65"	85 kg	UHD	190W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
	75"	134 kg	UHD	250W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
Indoor double sided selfstanding device	55"	138 kg	FHD	270W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
	65"	166kg	UHD	380W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
	75"	192 kg	UHD	500W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
Interactive map table / K-stand	43"	44 kg	FHD	115W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
	49"	51 kg	FHD	125W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
	55"	59 kg	FHD	135W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
Indoor wall mounted freestanding screen	49"	24 kg	FHD	125W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
	55"	29 kg	FHD	135W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
	65"	40 kg	UHD	190W	450nits	1200:1	178°	8ms	>60 000	0 to +50 °C	
	75"	144 kg	FHD	380W	2000 - 3500nits	1200:1	178°	8ms	>60 000	-35 to +50 °C	
Outdoor one sided selfstanding device	65"	182 kg	UHD	425W	2000 - 3500nits	1200:1	178°	8ms	>60 000	-35 to +50 °C	
	75"	223 kg	UHD	565W	2000 - 3500nits	1200:1	178°	8ms	>60 000	-35 to +50 °C	
	55"	188 kg	FHD	760W	2000 - 3500nits	1200:1	178°	8ms	>60 000	-35 to +50 °C	
Outdoor double sided selfstanding device	65"	234 kg	UHD	835W	2000 - 3500nits	1200:1	178°	8ms	>60 000	-35 to +50 °C	
	75"	286 kg	UHD	989W	2000 - 3500nits	1200:1	178°	8ms	>60 000	-35 to +50 °C	

Indoor one sided  
selfstanding device





# SCREEN DESIGN

Indoor one sided selfstanding device



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND




# SCREEN SIZES




**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND

## Indoor one sided selfstanding device


55 inch



65 inch



75 inch



Indoor double sided  
selfstanding device




## SCREEN DESIGN

Indoor double sided selfstanding device



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND







Interactive map  
table / K-stand



## TABLE DESIGN

Interactive map table / K-stand



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND




## TABLE SIZES



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND

### Interactive map table / K-stand



43 inch



# TABLE SIZES

## Interactive map table / K-stand



49 inch



# TABLE SIZES

## Interactive map table / K-stand

55 inch



Indoor wall mounted  
freestanding screen



## SCREEN DESIGN



TAPGEST  
DIGITAL SIGNAGE IN YOUR HAND

Indoor wall mounted freestanding screen






# SCREEN SIZES



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND

## Indoor wall mounted freestanding screen

49 inch




# SCREEN SIZES



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND

## Indoor wall mounted freestanding screen

55 inch




# SCREEN SIZES



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND

## Indoor wall mounted freestanding screen

65 inch



Outdoor double  
sided selfstanding  
device



## SCREEN DESIGN

Outdoor double sided selfstanding device



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND




# SCREEN SIZES



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND

## Outdoor double sided selfstanding device

75 inch



Outdoor one sided  
selfstanding device




# SCREEN SIZES



**TAPGEST**  
DIGITAL SIGNAGE IN YOUR HAND

## Outdoor one sided selfstanding device

55 inch






# SCREEN SIZES



TAPGEST  
DIGITAL SIGNAGE IN YOUR HAND

## Outdoor one sided selfstanding device


65 inch




# SCREEN SIZES

## Outdoor one sided selfstanding device

75 inch



Computer  
and camera




# SPECIFICATIONS

## Computer and camera

CPU 1	2.2GHz Quad core
CPU 2	1.8GHz dual core
GPU	MP4 up to 800MHz
NPU	5 TOPS
RAM	2GB LPDDR4
EMMC	16GB
Wi-Fi	a/b/g/n/ac
Bluetooth	5
LAN	10/100 / 1000M
USB	2x
USB-C	1x
Input Voltage	5-20V
HDMI	2.1
Camera	8 MP, HDR, 3840x2160

**Khadas VIM3 basic with heatsink**



**Camera - ELP-USB4K02AF-V100**





# TAPGEST

DIGITAL SIGNAGE IN YOUR HAND

## HEADQUARTER

Slovakia  
Staré Grunty 18  
Bratislava

## GLOBAL

Czech republic  
Bašty 413/2  
Brno

## SOUTH EUROPE

Bosna i Hercegovina  
ul. Džemala Bijedića broj 160F,  
Sarajevo

[www.tapgest.com](http://www.tapgest.com)

